




Europass Curriculum Vitae

Personal information



CARLO LUCA ROMANO'

First name(s) / Surname(s)

Address(es) Corso Venezia, 2 – 20121 MILANO ITALIA

Telephone(s) + 39 02 781657

Mobile: + 39 335 8256630

Fax(es) + 39 02 781657

E-mail romano@studioceccaromano.it

Nationality Italian

Date of birth July, 6, 1963

Gender Male

Occupational field Orthopaedic surgery and trauma

Work experience

Dates

Occupation or position held	2018-...	Founder and Managing Director of the Romano Institute – Tirane - Albania
	2016-...	Founder and co-Director of the Milano Biofilm Center
	2008-...	Director of the Centre for Reconstructive Surgery and Osteo-articular Infections and Scientific Project Coordinator, Orthopaedic Research Institute Galeazzi, Milan, Italy.
	2005-...	Adjunct Professor in Orthopaedics, Università Statale, Milan, Italy.
	2004-2008	Director of the Septic Hip Prosthesis Unit, G. Pini Orthopaedic Institute, Milan, Italy
	1994-...	Consultant and co-owner of the Studio Medico Associato Cecca-Romanò, Milan, Italy.

Main activities and responsibilities Director of orthopaedic surgery – Research project coordinator

Name and address of employer Romano Institute – Tirane, Albania
Studio Medico Associato – Milan, Italy.
Istituto Ortopedico Galeazzi – Milan, Italy

Type of business or sector Healthcare

Education and training

Dates	1993	Diploma cum laude in Orthopaedics and Trauma
	1988	Degree cum laude in Medicine

Title of qualification awarded Orthopaedic surgeon and professor

Principal subjects/occupational skills covered Medicine - Orthopaedics and trauma

Name and type of organisation providing education and training Università Statale di Milano

Level in national or international classification	Degree in Medicine																				
Personal skills and competences																					
Mother tongue(s)	Italian																				
Other language(s)	English, French																				
Self-assessment																					
<i>European level (*)</i>																					
ENGLISH																					
FRENCH																					
	<table border="1"> <thead> <tr> <th colspan="2">Understanding</th> <th colspan="2">Speaking</th> <th>Writing</th> </tr> <tr> <th>Listening</th> <th>Reading</th> <th>Spoken interaction</th> <th>Spoken production</th> <th></th> </tr> </thead> <tbody> <tr> <td>B2</td> <td>B2</td> <td>B2</td> <td>B2</td> <td>C1</td> </tr> <tr> <td>B1</td> <td>B1</td> <td>B1</td> <td>B1</td> <td>B1</td> </tr> </tbody> </table>	Understanding		Speaking		Writing	Listening	Reading	Spoken interaction	Spoken production		B2	B2	B2	B2	C1	B1	B1	B1	B1	B1
Understanding		Speaking		Writing																	
Listening	Reading	Spoken interaction	Spoken production																		
B2	B2	B2	B2	C1																	
B1	B1	B1	B1	B1																	
	(*) Common European Framework of Reference for Languages																				
Social skills and competences	<p>2017-... Co-Founder and Secretary General of the World Association against Infection in Orthopaedics and Trauma (W.A.I.O.T.)</p> <p>2014 Co-Founder of the S.I.C.O.T. Infection Committee</p> <p>2011-2013 President of the European Bone and Joint Infection Society (E.B.J.I.S.)</p> <p>2011-2014 Delegate for the Regione Lombardia of the Italian Society of Orthopaedic Surgeons of Private Hospitals (S.I.C.O.O.P.)</p> <p>2009-2011 Vice-President of the European Bone and Joint Infection Society.</p> <p>2005-2009 Board member of the European Bone and Joint Infection Society</p> <p>2005-2008 President of the Italian Study Group on Osteo-articular Infections</p> <p>1996-... Secretary General of the Lombard Regional Society of Orthopaedics (S.L.O.T.O.)</p>																				
Additional information	<p>Grants and awards</p> <p>1988-1993 Grant from the University of Milano, Specialty School in Orthopaedics and Traumatology.</p> <p>1990 Grant from "Associazione per la Ricerca Neurofisiologica" A.S.S.O.R.N..</p> <p>1991-1992 Grant from the Istituto Ortopedico G.Pini, of Milano.</p> <p>1996 Grant from the "Società Italiana di Ortopedia e Traumatologia (S.I.O.T.)" for a research in cooperation with the Queen's University Bio-Medical Engineering Unit, Kingston, Ontario, Canada.</p> <p>2010 European Bone and Joint Infection Society Research Award for a research entitled: "<i>In vitro activity of a biofilm disaggregating substance against biofilm formed by Staphylococcus aureus and Pseudomonas aeruginosa on polyethylene and titanium discs</i>".</p> <p>2013 European Bone and Joint Infection Society "Very Promising Research" Award for the research: "Prevention of implant-related infections using a resorbable antibacterial hydrogel coating: in vitro and in vivo study".</p> <p>Research activity (co-funded by the Italian Ministry of Health)</p> <p>National and International approved Research Projects</p> <p>Patents</p> <ul style="list-style-type: none"> • Electronic system to prevent intra-operative neurological lesions (Italian Patent # 0001294735) • System to reduce injection pain (Italian Patent # 0001348899, European Patent # EP1514567) • Antibacterial hydrogel and use thereof in orthopedics (European Patent # EP 2 213 315 A1) • Closed system for implant-related microbiological diagnosis (US20170136454A1) 																				
Annexes	Selection of publications																				

Books and book chapters

- **Romanò CL**, Gallazzi E, Scarponi S, Morelli I, Drago L (2018) Antibacterial coating of implants in orthopaedics and trauma. In "[Management of Periprosthetic Joint Infections](#)". © 2018 Springer-Verlag GmbH Germany.
- Chen A, **Romanò CL**, Drago L, Parvizi J (2017) [Infection After Joint Arthroplasty](#). In [AO Manual: Principles of Orthopedic Infection Management](#). Ed. Thieme.
- **Romanò CL**, Manzi G, Scarponi S, Logoluso N, George D (2017) Practice and guidelines for treating periprosthetic joint infection: Single and two-stage revision.). In "[Management of Periprosthetic Joint Infections \(PJIs\)](#)". <http://dx.doi.org/10.1016/B978-0-08-100205-6.00009-4>. © 2017 Elsevier Ltd.
- **Romanò CL**, Romanò D, Scarponi S, Drago L (2016) [Paradigm change in antibacterial coatings: efficacy of short-term local prophylaxis](#). In "[Periprosthetic Joint Infections: Changing Paradigms](#)". Ed. Springer.
- **Romanò CL**, L Drago, D. Romano' (2015) Le Infezioni Ossee. In "[Trattato di Chirurgia](#)" Dionigi – VI edizione, Ed. Masson.
- **Romanò CL** (2015) Algoritmo multi-disciplinare di trattamento delle pseudoartrosi settiche. In Tecniche Chirurgiche in Ortopedia e Traumatologia. Le fratture del pilone tibiale. [Ed. CIC Edizioni Internazionali, Roma 2015](#).
- **Romanò CL**, Logoluso N, Drago L. (2014) Antibiofilm strategies in orthopedics: where are we ? In [Peri-Operative Medical Management for Total Joint Arthroplasty](#). Ed. Springer.
- **Romanò CL**, Logoluso N, Peccati A, Scarponi S, Romanò D. (2014) [Le Infezioni](#). In "[L'Osso dell'Anziano: Presente e Futuro](#)", Ed. [Timeo](#).
- Zagra L & **Romanò CL**. (2012) Peri-prosthetic hip infections: an update. Hip International - Special Issue, Vol 22/8.
- Ortiz D, Molina MAR, Arai YCP, **Romanò CL**. (2012) Analgesic drugs combinations in the treatment of different types of pain. Pain Research and Treatment, Special Issue - doi:10.1155/2012/612519.
- **Romanò CL**. (2012) "[Resection Arthroplasty and Use of Dynamic Spacers](#)". In "[The Knee: Reconstruction, Replacement, and Revision](#) (ISBN: 978-1-57400-139-6)", Ed. Data Trace Publishing Company.
- **Romanò CL**. (2011) La complicità settica. In "Le fratture del piatto tibiale", Ed. Tmeo.
- **Romanò CL**. (2010) Le Infezioni Ossee. In "Trattato di Chirurgia" Dionigi, Ed. Masson.
- **Romanò CL**. (2009) Infezioni osteo-articolari correlate all'impianto. Numero monografico de Lo Scalpello 23-3 dicembre, 2009.
- Meani E, **Romanò CL**, Crosby L, Hofmann G. (2007) [Infection and local treatment in orthopaedic infections](#). Ed. Springer-Verlag, Heidelberg, 2007.

Selection of publications

1. **Romanò CL**, Tsuchiya H, Morelli I, Battaglia AG, Drago L. Antibacterial coating of implants: are we missing something? [Bone Joint Res. 2019 Jun 5;8\(5\):199-206.](#) doi: 10.1302/2046-3758.85.BJR-2018-0316. eCollection 2019 May. PubMed PMID:31214332; PubMed Central PMCID: PMC6548976.
2. **Romanò CL**, Khawashki HA, Benzakour T, Bozhkova S, Del Sel H, Hafez M, Johari A, Lob G, Sharma HK, Tsuchiya H, Drago L; World Association against Infection in Orthopedics and Trauma (W.A.I.O.T.) Study Group on Bone and Joint Infection Definitions. The W.A.I.O.T. Definition of High-Grade and Low-Grade Peri-Prosthetic Joint Infection. [J Clin Med. 2019 May 10;8\(5\). pii: E650. doi:10.3390/jcm8050650. PubMed PMID: 31083439.](#)
3. **Romanò CL**, Battaglia A, Suardi V, Romanò D, Baldi A, Zoccali C. [Antibacterial hydrogel coating of implants in orthopaedics and trauma: surgical technique and clinical applications.](#) Maitrise Orthopédique N.001 May/June 2019.
4. Shohat N, Bauer T, Buttaro M, Budhiparama N, Cashman J, Della Valle CJ, Drago L, Gehrke T, Marcelino Gomes LS, Goswami K, Hailer NP, Han SB, Higuera C, Inaba Y, Jenny JY, Kjaersgaard-Andersen P, Lee M, Llinás A, Malizos K, Mont MA, Jones RM, Parvizi J, Peel P, Rivero-Boschert S, **Romano C**, Segreti J, Soriano A, Sousa R, Spangehl M, Tan TL, Tikhilov R, Tuncay I, Winkler H, Witso E, Wouthuyzen-Bakker M, Young S, Zhang X, Zhou Y, Zimmerli W. Hip and Knee Section, What is the Definition of a Periprosthetic Joint Infection (PJI) of the Knee and the Hip? Can the Same Criteria be Used for Both Joints?: Proceedings of International Consensus on Orthopedic Infections. [J Arthroplasty. 2018 Oct 22. pii: S0883-5403\(18\)30828-3. doi: 10.1016/j.arth.2018.09.045.](#)
5. Zagra L, Gallazzi E, Romanò D, Scarponi S, **Romanò CL** (2018) Two-stage cementless hip revision for peri-prosthetic infection with an antibacterial hydrogel coating: results of a comparative series. International Orthopaedics (SICOT) (2018). <https://doi.org/10.1007/s00264-018-4206-2>
6. Logoluso N, Scarponi S, Romanò D, Pellegrini A, **Romano CL** (2018) Protesi articolate e protesi fisse: qual é il limite ? [Giornale Italiano di Ortopedia e Traumatologia. 2018;44\(Suppl. 1\):S119-S122.](#)
7. **Romano CL**, Romanò D, Logoluso N, (2018) PTG Infette: avvicinarsi alla revisione in un unico tempo. (2018) Corsi di istruzione. 103° Congresso Nazionale SIOT. Pacini Ed..
8. **Romano CL**, Morelli I, Romanò D, Meani E, Drago L (2018) [ICS classification system of infected osteosynthesis: Long-term results.](#) Injury. 2018 Jan 6. pii: S0020-1383(18)30002-0. doi: 10.1016/j.injury.2018.01.002.
9. Zagra L, Gallazzi E, Romanò D, Scarponi S, **Romanò CL** (2018) [Medium-term results of a controlled prospective series of patients undergoing hip arthroplasty with a fast-resorbable antibacterial hydrogel coating.](#) Orthop Proceedings 100-B Suppl 1:65.
10. Zagra L, De Vecchi E, Bortolin M, **Romanò CL**, Drago L (2018) [Closed system device in surgery room improves microbiological diagnosis of periprosthetic hip infections.](#) Orthop Proceedings 100-B Suppl 1:18.
11. Lovati AB, Bottagisio M, Maraldi S, Violatto MB, Bortolin M, De Vecchi E, Bigini P, Drago L, **Romanò CL**. (2018) [Vitamin E Phosphate Coating Stimulates Bone Deposition in Implant-related Infections in a Rat Model.](#) Clin Orthop Relat Res. 2018 Jun;476(6):1324-1338. doi: 10.1097/01.blo.0000534692.
12. De Vecchi E, George DA, **Romanò CL**, Pregliasco FE, Mattina R, Drago L. (2018) [Antibiotic sensitivities of coagulase-negative staphylococci and Staphylococcus aureus in hip and knee periprosthetic joint infections: does this differ if patients meet the International Consensus Meeting Criteria?](#) Infect Drug Resist. 2018 Apr 13;11:539-546. doi: 10.2147/IDR.S151271.
13. De Vecchi E, **Romanò CL**, De Grandi R, Cappelletti L, Villa F, Drago L. [Alpha defensin, leukocyte esterase, C-reactive protein, and leukocyte count in synovial fluid for pre-operative diagnosis of periprosthetic infection.](#) Int J Immunopathol Pharmacol. 2018 Mar-Dec;32:2058738418806072. doi: 10.1177/2058738418806072.
14. **Romanò CL**, Trentinaglia MT, De Vecchi E, Logoluso N, George DA, Morelli I, Drago L. (2018) [Cost-benefit analysis of antibiofilm microbiological techniques for peri-prosthetic joint infection diagnosis.](#) BMC Infect Dis. 2018 Apr 2;18(1):154. doi: 10.1186/s12879-018-3050-8.
15. Capuano N, Logoluso N, Gallazzi E, Drago L, **Romanò CL**. (2018) [One-stage exchange with antibacterial hydrogel coated implants provides similar results to two-stage revision, without the coating, for the treatment of peri-prosthetic infection.](#) Knee Surg Sports Traumatol Arthrosc. 2018 Mar 16. doi: 10.1007/s00167-018-4896-4.
16. Trentinaglia MT, Van Der Straeten C, Morelli I, Logoluso N, Drago L, **Romanò CL**. (2018) [Economic Evaluation of Antibacterial Coatings on Healthcare Costs in First Year Following Total Joint Arthroplasty.](#) J Arthroplasty. 2018 Jun;33(6):1656-1662. doi: 10.1016/j.arth.2018.01.057.

17. Bortolin M, **Romanò CL**, Bidossi A, Vecchi E, Mattina R, Drago L. (2018) [BAG-S53P4 as bone graft extender and antimicrobial activity against gentamicin- and vancomycin-resistant bacteria](#). *Future Microbiol.* 2018 Apr;13:525-533. doi:10.2217/fmb-2016-0171.
18. Marazzi MG, Randelli F, Brioschi M, Drago L, **Romano CL**, Banfi G et al. (2017) [Presepsin: a potential biomarker of PJI ? A comparative analysis with known and new infection biomarkers](#). *Int J Immunopathol Pharmacol* 2017 Dec 1:394632017749356. doi: 10.1177/0394632017749356..
19. Drago L, Bidossi A, Bortolin M, Toscano M, De Vecchi E, **Romano CL**, Mattina R. (2017) [In vitro comparison between \$\alpha\$ -tocopheryl acetate and \$\alpha\$ -tocopheryl phosphate against bacteria responsible of prosthetic and joint infections](#). *PLOS One* Jul 31;12(7):e0182323. doi: 10.1371/journal.pone.0182323.
20. George DA, Drago L, Scarponi S, Gallazzi E, Haddad FS, **Romano CL**. (2017) [Predicting lower limb periprosthetic joint infections: A review of risk factors and their classification](#). *World J Orthop.* 2017 May 18;8(5):400-411. doi:10.5312/wjo.v8.i5.400.
21. Morelli I, Drago L, George DA, Romanò D, **Romanò CL**. (2017) [Managing large bone defects in children: a systematic review of the "Induced Membrane Technique"](#). *J Pediatr Orthop B.* 2017 Mar 31. doi: 10.1097/BPB.0000000000000456.
22. Bottagisio M, Soggiu A, Lovati AB, Toscano M, Piras C, **Romanò CL**, Bonizzi L, Roncada P, Drago L. (2017) [Draft Genome Sequence of Staphylococcus epidermidis Clinical Strain GOI1153754-03-14 Isolated from an Infected Knee Prosthesis](#). *Genome Announc.* 2017 May; 5(20): e00378-17.
23. Gallazzi E, Drago L, Baldini A, Stockley I, George DA, Scarponi S, **Romanò CL**. (2017) ["Combined Diagnostic Tool" APPLication to a Retrospective Series of Patients Undergoing Total Joint Revision Surgery](#). *J Bone Joint Infect* 2017; 2(2):107-113.
24. Drago L, **Romanò CL**, Cecchinato R, Villafañe JH, De Vecchi E, Lamartina C, Berjano P. (2017) [Are MODIC Type 2 disc changes associated with low-grade infections? A pilot study](#). *J Neurosurg Sci.* 2017 Feb 15. doi: 10.23736/S0390-5616.17.03997-2.
25. Malizos K, Blauth M, Danita A, Capuano N, Mezzoprete R, Logoluso N, Drago L, **Romanò CL** (2017) [Fast-resorbable antibiotic-loaded hydrogel coating to reduce post-surgical infection after internal osteosynthesis: a multicenter randomized controlled trial](#). *J Orthop Traum* 2017; DOI 10.1007/s10195-017-0442-2.
26. Lindfors N, Geurts J, Drago L, Arts JJ, Juutilainen V, Hyvönen P, Suda A, Domenico A, Artiacco S, Alizadeh C, Brychcy A, Bialecki J, **Romano C**. (2017) [Antibacterial Bioactive Glass, S53P4, for Chronic Bone Infections - A Multinational Study](#). *Adv Exp Med Biol.* 2017 Jan 4. doi: 10.1007/5584_2016_156
27. **Romanò CL**, De Vecchi E, Bortolin M, Morelli I, Drago L (2017) [Hyaluronic acid and its composites as a local antimicrobial/antiadhesive barrier](#). *J Bone Joint Infect* 2017; 2(1):63-72.
28. Kordo S, Dryden M, Bassetti M, Bonnet E, Bouza E, Chan M, Cortes N, Davis JS, Esposito S, Giordano G, Gould I, Hartwright D, Lye D, Marin M, Morgan-Jones R, Lajara-Marco F, Righi E, **Romano CL**, Segreti J, Unal S, Williams RL, Yalcin AN. (2016) Prosthetic joints: shining lights on challenging blind spots. *International Journal of Antimicrobial Agents*, Volume 0, Issue 0. DOI: <http://dx.doi.org/10.1016/j.ijantimicag.2016.10.015>
29. Morelli I, Drago L, George DA, Gallazzi E, Scarponi S, Romanò CL. (2016) [Masquelet technique: myth or reality? A systematic review and meta-analysis](#). *Injury.* 2016 Dec;47 Suppl 6:S68-S76.
30. **Romanò CL**, Romanò D, Morelli I, Drago L. (2016) [The Concept of Biofilm-Related Implant Malfunction and "Low-Grade Infection"](#). *Adv Exp Med Biol.* 2016 Oct 19.
31. Borens O, Corona PS, Frommelt L, Lazarinis S, Reed MR, **Romano CL**. (2016) [Algorithm to Diagnose Delayed and Late PJI: Role of Joint Aspiration](#). *Adv Exp Med Biol.* 2016 Oct 19.
32. Logoluso N, Drago L, , Gallazzi E, George DA, Morelli I. **Romanò CL** (2016) [Calcium-based, antibiotic-loaded bone substitute as an implant coating: a pilot clinical study](#). *J Bone Joint Infect* 2016; 1:59-64.
33. Berjano P, Villafañe JH, Lo Re D, Ismael M, Damilano M, Bertozzi L, **Romanò CL**, Drago L. (2016) [Is propionibacterium acnes related to disc degeneration in adults? A systematic review](#). *J Neurosurg Sci.* 2016 Sep 7.
34. Lovati AB, Drago L, Bottagisio M, Bongio M, Ferrario M, Perego S, Sansoni V, De Vecchi E, **Romanò CL**. (2016) [Systemic and local administration of antimicrobial and cell therapies to prevent methicillin-resistant Staphylococcus epidermidis-induced femoral nonunions in a rat model](#). *Mediators Inflamm.* 2016;2016:9595706. doi: 10.1155/2016/9595706.

35. **Romanò CL**, Malizos K, Capuano N, Mezzoprete R, D'Arienzo M, Van Der Straeten C, Scarponi S, Drago L. (2016) [Does an antibiotic-loaded hydrogel coating reduce early post-surgical infection after joint arthroplasty ?](#) J Bone Joint Infect 2016; 1:34-41.
36. De Vecchi E, Bortolin M, Signori V, **Romanò CL**, Drago L. (2016) Treatment with dithiothreitol improves bacterial recovery from tissue samples in osteoarticular and joint infections. [J Arthroplasty](#), DOI: <http://dx.doi.org/10.1016/j.arth.2016.05.008>.
37. Drago L, Lidgren L, Bottinelli E, Villafañe JH, Berjano P, Banfi G, **Romanò CL**, Sculco TP. (2016) [Mapping of microbiological procedures by the members of the International Society of Orthopaedic Centers \(ISOC\) for periprosthetic infections diagnosis](#). J Clin Microbiol. 2016 Mar 2. pii: JCM.00155-16.
38. De Vecchi E, Villa F, Bortolin M, Toscano M, Tacchini L, **Romanò C**, Drago, L. (2016) Leukocyte esterase, glucose and C-reactive protein in the diagnosis of prosthetic joint infections: a prospective study. [Clin Microbiol Infect](#). 2016 Jun;22(6):555-60.
39. Drago L, Agrappi S, Bortolin M, Toscano M, **Romanò CL**, De Vecchi E (2016) How to study biofilm in the prevention of microbial colonization on material used in orthopaedic implants [Int. J. Mol. Sci. 2016, 17, 293; doi:10.3390/ijms17030293](#).
40. Lovati AB, **Romanò CL**, Bottagisio M, Monti L, De Vecchi E, Previdi S, Accetta R, Drago L. (2016) Modeling Staphylococcus epidermidis-Induced Non-Unions: Subclinical and Clinical Evidence in Rats. [PLoS One. 2016 Jan 21;11\(1\):e0147447](#)
41. George DA, Volpin A, Scarponi S, Haddad FS, **Romanò CL** (2016) Does exchange arthroplasty of an infected shoulder prosthesis provide better eradication rate and better functional outcome, compared to a permanent spacer or resection arthroplasty? a systematic review. [BMC Musculoskelet Disord. 2016 Feb 1;17\(1\):52](#).
42. Bortolin M, De Vecchi, **Romanò CL**, Toscano M, Mattina R, Drago L (2016) [Antibiofilm agents against MDR bacterial strains: is bioactive glass BAG-S53P4 also effective ?](#) [J Antimicrob Chemother](#). 2016 Jan;71(1):123-7.
43. **Romanò CL**, Gallazzi E, Logoluso N, De Vecchi E, Drago L, (2015) Antibiotic-loaded Regenoss for the treatment of septic bone defects: in vitro study and preliminary clinical experience. [J Biol Regulators & Homeostatic Agents 29/4: 103-110](#).
44. **Romanò CL**, Scarponi S, Gallazzi E, Romanò D, Drago L (2015) [Antibacterial coating of implants in orthopaedics and trauma: a classification proposal in an evolving panorama](#), J Orthop Surg Res. 2015; 10: 157.
45. Signori V, **Romanò CL**, De Vecchi E, Mattina R, Drago L (2015) [May osteoarticular infections be influenced by vitamin D status? An observational study on selected patients](#). BMC Musculoskelet Disord. 2015; 16: 183.
46. Drago L, De Vecchi E, Cappelletti L, Vassena C, Toscano M, Bortolin M, Mattina R, **Romanò CL** (2015) Prolonging culture to 15 days improves bacterial detection in bone and joint infections. [Eur J Clin Microbiol Infect Dis](#). 2015 Sep;34(9):1809-13.
47. Drago L, Bortolin M, Vassena C, **Romanò CL**, Taschieri S, Del Fabbro M. (2014) Plasma components and platelet activation are essential for the antimicrobial properties of autologous platelet-rich plasma: an in vitro study. [PLoS One](#). 2014 Sep 18;9(9):e107813.
48. Galliera E, Drago L, Marazzi MG, **Romanò C**, Vassena C, Corsi Romanelli MM. (2014) [Soluble urokinase-type plasminogen activator receptor \(suPAR \) as new biomarker of the prosthetic joint infection : Correlation with inflammatory cytokines](#). [Clin Chim Acta](#). 2015 Feb 20;441:23-8.
49. Logoluso N, Anasetti F, **Romanò CL**. (2014) Does knee revision after an articulated spacer implant provide normal gait restoration? [Knee Surg Sports Traumatol Arthrosc](#). 2016 Jan;24(1):267-72.
50. **Romanò CL**, Monti L, Logoluso N, Romanò D, Drago L. (2014) Does a thrombin-based topical haemostatic agent reduce blood loss and transfusion requirements after total knee revision surgery? A randomized, controlled trial. [Knee Surg Sports Traumatol Arthrosc](#). 2015 Nov;23(11):3337-42.
51. Meani E, Fini M, Giavaresi G, Drago L, **Romanò CL** (2014) Antimicrobial resorbable coating of orthopaedic implants: an in vitro and in vivo study. [Bone Joint J 2014, 96-B Supp 11; 284](#).
52. Drago L, De Vecchi E, Cappelletti L, Mattina R, Vassena C, **Romanò CL** (2014) Role and antimicrobial resistance of staphylococci involved in prosthetic joint infections [Int J Artif Organs](#). 2014 May;37(5):414-21.
53. Drago L, Vassena C, Fenu S, De Vecchi E, Signori V, Francesco RD, **Romanò CL** (2014) In vitro antibiofilm activity of bioactive glass S53P4. [Future Microbiol](#). 2014;9(5):593-601.

54. Vassena C, Fenu S, Giuliani F, Fantetti L, Roncucci G, Simonutti G, **Romanò CL** De Francesco R, Drago L (2014) Photodynamic antibacterial and antibiofilm activity of RLP068/CI against *Staphylococcus aureus* and *Pseudomonas aeruginosa* forming biofilms on prosthetic material. [Int J Antimicrob Agents. 44\(1\):47-55.](#)
55. **Romanò C.L.**, Logoluso N, Meani E, Romano' D, De Vecchi E, Vassena C, Drago L, (2014) A comparative study of the use of bioactive glass BAG-S53P4 and antibiotic-loaded calcium based bone substitutes in the treatment of chronic osteomyelitis. [Bone and Joint Journal 96-B, No. 5 May 2014.](#)
56. **Romanò CL**, Logoluso N, Drago L, Peccati A, Romano D (2014) Role for Irrigation and Debridement in Periprosthetic Infections.. [J Knee Surg. 2014 Apr 21.](#)
57. Lichstein P, Gehrke T, Lombardi A, **Romanò CL**, Stockley I, Babis G, Bialecki J, Bucsi L, Cai X, Cao L, de Beaubien B, Erhardt J, Goodman S, Jiranek W, Keogh P, Lewallen D, Manner P, Marczyński W, Mason JB, Mulhall K, Paprosky W, Patel P, Piccaluga F, Polkowski G, Pulido L, Stockley I, Suarez J, Thorey F, Tikhilov R, Velazquez JD, Winkler H (2014) One-stage versus two-stage exchange. [J Orthop Res. 2014 Jan;32 Suppl 1:S141-6. doi: 10.1002/jor.22558.](#)
58. Lovati AB, **Romanò CL**, Monti L, Vassena C, Previdi S, Drago L. (2014) Does PGE1 vasodilator prevent orthopaedic implant-related infection in diabetes ? Preliminary results in a mouse model. [PLoS One. 2014 Apr 9;9\(4\):e94758. doi: 10.1371/journal.pone.0094758.](#)
59. Drago L., Boot W, Dimas K, Malizos K, Hänsch GM, Stuyck J, Gawlitta D, **Romanò CL**. (2014) Does implant coating with antibacterial-loaded hydrogel reduce bacterial colonization and biofilm formation in vitro ? [Clin Orthop Relat Res 472-11; 3311-3323. DOI 10.1007/s11999-014-3558-1.](#)
60. Lichstein P, Gehrke T, Lombardi A, **Romanò C**, Stockley I, et al. (2014) One-Stage vs Two-Stage Exchange. *Journal of Arthroplasty* 29/2: 108-111.
61. Galliera E, Drago L, Vassena C, **Romanò C**, Gioia Marazzi M, Salcito L, Corsi Romanelli MM. (2014) [Toll-like receptor 2 in serum: a potential diagnostic marker of prosthetic joint infection?](#) *J Clin Microbiol.* 52(2):620-3.
62. **Romanò CL**, , Toscano M., Romano D, Drago L. (2013) Antibiofilm agents and implant-related infections in orthopaedics: where are we ? [J Chemother.](#) 2013 Apr;25(2):67-80.
63. Drago L, De Vecchi E, Romano' CL, Vassena C, Banfi G. (2013) [Behaviour of perioperative values of haemoglobin, haematocrit and red blood cells in elderly patients undergoing lower limb arthroplasty: a retrospective cohort study on non-transfused patients.](#) *Int J Immunopathol Pharmacol.* 2013 Apr-Jun;26(2):427-33.
64. Lovati, A. B., Drago, L., Monti, L., De Vecchi, E., Previdi, S., Banfi, G., & Romanò, C. L. (2013). [Diabetic Mouse Model of Orthopaedic Implant-Related Staphylococcus Aureus Infection.](#) *PLoS ONE*, 8(6). <http://doi.org/10.1371/journal.pone.0067628>
65. Viapiana O., **Romanò C**. (2013) L'uso appropriato della terapia anti-infiammatoria nell'osteoartrosi: identificare il paziente. *Giornale Italiano di Ortopedia e Traumatologia* 39/6:249-255.
66. De Vecchi E, Sitia S, Romanò CL, Ricci C, Mattina R, Drago L. (2013) [Aetiology and antibiotic resistance patterns of urinary tract infections in the elderly: a 6-month study.](#) *J Med Microbiol.* 2013 Jun;62(Pt 6):859-63. doi: 10.1099/jmm.0.056945-0. Epub 2013 Mar 8.
67. Giavaresi G, Meani E, Sartori M, Ferrari A, Bellini D, Sacchetta AC, Meraner J, Sambri A, Vocale C, Sambri V, Fini M, **Romanò CL**. (2013) Efficacy of antibacterial-loaded coating in an in vivo model of acutely highly contaminated implant. [Int Orthop. 2013 Dec 22.](#)
68. **Romanò CL**, De Vecchi E, Vassena C, Manzi G, Drago L. [A case of a late and atypical knee prosthetic infection by no-biofilm producer Pasteurella multocida strain identified by pyrosequencing.](#) *Pol J Microbiol.* 2013;62(4):435-8.
69. Scarponi S, Drago L, Romano D, Logoluso N, Peccati A, Meani E, **Romanò CL** (2013) Cementless modular intramedullary nail without bone-on-bone fusion as a salvage procedure in chronically infected total knee prosthesis: long-term results..[Int Orthop. 2013 Dec 14.](#)
70. Drago L., Mattina R., Signori V., De Vecchi E., **Romanò CL**. (2013) Activity of N-acetyl-L-cysteine against biofilm of *Staphylococcus aureus* and *Pseudomonas aeruginosa* on orthopaedic prosthetic materials. *The International Journal of Artificial Organs* 2013 Jan 2:0. [doi: 10.5301/ijao.5000135.](#)